Secrt. II-27—40,000—16-10-1

Public Works (193) Department

Irrig

W/ SERIES.

G.O. No. 820

DATED 20 Dec 37

[Despatch Abstract.]

[illegible] - Temporary - Irrigl Subdivision - Sanction [illegible] from Assistant Peon Vibhuti.

C.F. 16.

DRAFT FOR APPROVAL.

P.W.D (Genl)

	Date.	Initials.
When received for fair copying	26/4/37	
When copied	26/4	
When examined	27/4	
When signed		
When despatched.		

SUBJECT :— Estt. Temply. Kudligi subdn. Sanction for one supr & one peon withdrawn.

READ AGAIN _____, dated _____ 19____.

" " _____ " _____ 19____.

READ *ALSO* :—

No. 954 B From the CE (GB&R), No. 1013 E/37-2, dated 3-4-1937.

" _____ " _____ " _____ " _____ 19____.

" _____ " _____ " _____ " _____ 19____.

Order / ~~Resolution~~ Mis. No. 820, dated 20 4 1937.

Sanction was accorded in Go no 1942 PW.D (Genl) dt 19-8-36 for the continuance of the Kudligi subdn of the Bellary circle with 1 Asst Engr & 2 supvrs till the end of July 1937. The 2 supvrs were included in the sanction accorded in Go no 661 P.W.D (Genl) dt 31-3-37 for the temply Engr and supr establishment for ~~37-38~~. required during 37-38. The sanction for one of the two supvrs is now withdrawn. The number of pcons sanctioned for the subdn during 37-38 will also be reduced by one.

20/4/37

To

The CE. (GB&R) ✓

A.G. Madras. ✓

9/4/37

10/4/37.

S. 16/4

Very Urgent.

C.F. 32.

In reply, please quote number, date and short title.*

Public Works DEPARTMENT.



*Received*_____ *Registered*_____

From (Name) M. O'Brien Esq., B.E., A.M.I.C.E.,
Chief Engineer, P.W.D.,
(Designation) General, Buildings and Roads.

Post Box 410, **(Station)** Chepauk, Madras.

Telegraphic Address Quyadamica.

To

The Secretary to Government,
Public Works Department.

No. 1013-E/37-2, *dated* 3rd April 19xx 1937.

Sir,

Enclosures_____

Spare Copies_____

Kudligi Subdivision - Temporary establishment.

In G.O. No. Ms. 1942 P.W.D.(Genl.) dated 19th August 1936, the Government have sanctioned the continuance of the Kudligi Subdivision with 1 Assistant Engineer and 2 supervisors etc. till the end of July 1937. With reference to the Superintending Engineer's letter No.24-W dated 28th December 1936, this establishment was included in the requirements of the department for 1937-38 submitted to Government with my letter No.46-E/37-1 dated 22nd February 1937.

2. The Superintending Engineer now reports that as the investigation of Sidyol Gondabammanahalli tanks has since been dropped, he has made arrangements for the closure of one of the two sections sanctioned for the Kudligi subdivision.

In the circumstances, I request that the demand for one of the two* supervisors for the Kudligi subdivision may be deleted from the requirements of the Bellary Circle for 1937-38. Consequently the

* Two supervisors included for the Kudligi Subdivision in G.O. No.681-P.W.D.(Genl.) dated 31st March 1937.

tne numoer or peons sanctioned for the Subdivision will have to be reduced by one.- vide the statement referred to in para 2 of my letter No.77-AD/37-2 dated 26th February 1937.

for Chief Engineer, P.W.D.

ska/3-4-37.